



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/783,162	02/20/2004	Wade D. Vinson	200400249-1	7167

7590 09/16/2009  
HEWLETT-PACKARD COMPANY  
Intellectual Property Administration  
P.O. Box 272400  
Fort Collins, CO 80527-2400

EXAMINER
----------

DWIVEDI, VIKANSHA S

ART UNIT	PAPER NUMBER
----------	--------------

3741

MAIL DATE	DELIVERY MODE
-----------	---------------

09/16/2009

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.



UNITED STATES PATENT AND TRADEMARK OFFICE

---

Commissioner for Patents  
United States Patent and Trademark Office  
P.O. Box 1450  
Alexandria, VA 22313-1450  
[www.uspto.gov](http://www.uspto.gov)

**BEFORE THE BOARD OF PATENT APPEALS  
AND INTERFERENCES**

Application Number: 10/783,162  
Filing Date: February 20, 2004  
Appellant(s): VINSON ET AL.

---

Vinson et al.  
For Appellant

**EXAMINER'S ANSWER**

This is in response to the appeal brief filed 7/14/2009 appealing from the Office action  
mailed 4/1/2009

**(1) Real Party in Interest**

A statement identifying by name the real party in interest is contained in the brief.

**(2) Related Appeals and Interferences**

The examiner is not aware of any related appeals, interferences, or judicial proceedings which will directly affect or be directly affected by or have a bearing on the Board's decision in the pending appeal.

**(3) Status of Claims**

The statement of the status of claims contained in the brief is correct.

**(4) Status of Amendments After Final**

No amendment after final has been filed.

**(5) Summary of Claimed Subject Matter**

The summary of claimed subject matter contained in the brief is correct.

**(6) Grounds of Rejection to be Reviewed on Appeal**

The appellant's statement of the grounds of rejection to be reviewed on appeal is correct.

**(7) Claims Appendix**

The copy of the appealed claims contained in the Appendix to the brief is correct.

**(8) Evidence Relied Upon**

6129528	Bradbury et al.	10-2000
5184938	Harmsen	2-1993
5280209	Leupold et al.	1-1994
5445215	Herbert	8-1995

5588804	Neely et al.	12-1996
5652470	von der Heide et al.	7-1997

**.(9) Grounds of Rejection**

The following ground(s) of rejection are applicable to the appealed claims:

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claim 1 is rejected under 35 U.S.C. 103(a) as being unpatentable over Von der Heide in view of Leupold (U.S. Patent number 5,280,209).

Von der Heide teaches a cooling fan comprising: a three-phase DC motor, an impeller comprising a hub to house said motor and a plurality of blades 141 extending from the hub. It should be clear rotor housing 17 is the hub and has plurality of blades 139 and 141 extending from the hub 17. for applicant's convenience the hub and the Blade are shown below. It is a marked up copy of Von der Heide figure 2.

***With regard to claim limitation blades being at least 25 % of the impeller diameter it should be clear that “blades being at least 25 % of the impeller diameter” presents no novel or unexpected result over the blade and impeller diameter relationship (Also, applicant explains on page 10 and 11 of the***

Art Unit: 3741

***specification how the blade height ("HB") in the illustrated embodiment is approximately 25 % of the impeller diameter ("I"), as compared to 20 % of the impeller diameter in a fan using a conventional DC motor. This enables the impeller 72 to displace a greater amount of air for each rotation of the impeller than an impeller of a comparable fan powered by a conventional DC motor used in the references.*** Such a relationship between the blade height and the impeller diameter in lieu of those used in the references solves no stated problem and would be an obvious matter of design choice within the skill of the art.

Based on the discussion above, at the time of invention, it would have been obvious to one of ordinary skill in the art to modify Von der Heide system to lengthen blades 141 and modify the overall impeller diameter to achieve a 25% ratio in order to maximize the predictable airflow results. (See KSR decision, Rationale A, Combining prior art elements according to known methods to yield predictable results.)

Von der Heide does not teach a rare earth magnet.

Leupold teaches a rare earth magnet.

Based on the teaching of Leupold, at the time of invention, it would have been obvious to one of ordinary skill in the art at the time of invention to modify Von der Heide to replace magnet 27 with the improved magnet of Leupold in order to produce optimal magnetic fields in electric machinery (Background of Invention).

Art Unit: 3741

Claims 2-4 are rejected under 35 U.S.C. 103(a) as being unpatentable over Von der Heide, Leupold and further in view of Dehmer.

Von der Heide ,in view of Leupold teaches the invention substantially except the chord length.

Dehmer teaches blade has a chord profile (Figure 3) that increases in chord length from a region proximate to the hub (bottom of figure 3) to a maximum chord length at a maximum chord length blade height (Figure 3); wherein the maximum chord length blade height is approximately half the full blade height (Figure3, chord length increases towards the middle of the fan and is maximum around the middle); wherein each blade of the impeller has a tip and the chord profile decreases in chord length from the maximum chord length blade height to the tip of the blade (Figure 3 shows , chord length increases towards the middle of the fan and is maximum around the middle and then it decreases towards the upper end that is the tip of the blade). It would have been obvious to one of ordinary skill in the art at the time of invention to modify Von der Heide in view of Leupold and further in view of Dehmer to increase the efficiency by minimize the losses generated by the fluid movement. (Col. 1 ll. 1-5).

Claims 5 and 6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Von der Heide, Leupold and further in view of Bradbury et al. (U.S. 6,129,528).

Von der Heide in view of Leupold teaches the invention substantially except the stagger angle.

Art Unit: 3741

Bradbury discloses blade that has a tip and the stagger angle of each blade increases from the hub to the tip of the blade (Col. 11 ll. 20-23 ). It would have been obvious to one of ordinary skill in the art at the time of invention to modify Von der Heide in view of Leupold and further in view of Bradbury to increase the velocities on the surface and thus reducing the local pressure (summary of invention paragraph 19). With respect to claim 6 Von der Heide in view of Leupold and further in view of Bradbury teaches the invention except claimed range, however it fails to patentably distinguish over Von der Heide in view of Leupold and further in view of Bradbury and would have been within the level of one of ordinary skill in the art at the time the invention was made. It has been held that “[W]here the general conditions of a claim are disclosed in the prior art, it is not inventive to discover the optimum or workable ranges by routine experimentation.” In re Aller, 220 F.2d 454, 456, 105 USPQ 233, 235 (CCPA 1955), MPEP 2144.05 II.

Claims 7 and 8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Von der Heide, Leupold and further in view of Harmsen.

Von der Heide in view of Leupold teaches the invention substantially except the camber angle.

Harmsen discloses camber angle that decreases from the hub to the tip (Col. 1 ll. 33-44). It would have been obvious to one of ordinary skill in the art at the time of



Art Unit: 3741

invention to modify Von der Heide in view of Leupold and further in view of Harmsen as a commonly known feature in the field of invention. (Col. 1 ll. 33-44).

With respect to claim 8 Von der Heide in view of Leupold and further in view of Harmsen teaches the invention except claimed range, however it fails to patentably distinguish over Von der Heide in view of Leupold and further in view of Harmsen and would have been within the level of one of ordinary skill in the art at the time the invention was made. It has been held that “[W]here the general conditions of a claim are disclosed in the prior art, it is not inventive to discover the optimum or workable ranges by routine experimentation.” *In re Aller*, 220 F.2d 454, 456, 105 USPQ 233, 235 (CCPA 1955), MPEP 2144.05 II.

Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Von der Heide in view of Leupold and further in view of Neely et al.

Von der Heide in view of Leupold teaches the invention substantially except seven blades. Neely discloses seven blades. It would have been obvious to one of ordinary skill in the art at the time of invention to modify Von der Heide in view of Leupold and further in view of Neely to provide seven blades to increase the performance of the system. (summary of invention).

Claim 11, 13, 16, 17, 19, 20, 21, 30, 31, 32, 33, are rejected under 35 U.S.C. 103(a) as being unpatentable over Von der Heide, Leupold and further in view of Dehmer, Bradbury and Harmsen.

Art Unit: 3741

Von der Heide in view of Leupold teaches the invention substantially except the chord length.

Dehmer teaches blade has a chord profile (Figure 3) that increases in chord length from a region proximate to the hub (bottom of figure 3) to a maximum chord length at a maximum chord length blade height (Figure 3); wherein the maximum chord length blade height is approximately half the full blade height (Figure 3, chord length increases towards the middle of the fan and is maximum around the middle); wherein each blade of the impeller has a tip and the chord profile decreases in chord length from the maximum chord length blade height to the tip of the blade (Figure 3 shows , chord length increases towards the middle of the fan and is maximum around the middle and then it decreases towards the upper end that is the tip of the blade). It would have been obvious to one of ordinary skill in the art at the time of invention to modify Von der Heide in view of Leupold and further in view of Dehmer to increase the efficiency by minimize the losses generated by the fluid movement. (Col. 1 ll. 1-5). Von der Heide in view of Leupold teaches the invention substantially except the stagger angle. Bradbury discloses blade that has a tip and the stagger angle of each blade increases from the hub to the tip of the blade (summary of invention paragraph 17). It would have been obvious to one of ordinary skill in the art at the time of invention to modify Von der Heide in view of Leupold and further in view of Bradbury to increase the velocities on the surface and thus reducing the local pressure (summary of invention paragraph 19). Von der Heide in view of Leupold teaches the invention substantially except the camber angle. Harmsen discloses camber angle that decreases from the hub to the tip (Col. 1 ll.

Art Unit: 3741

33-44). It would have been obvious to one of ordinary skill in the art at the time of invention to modify Von der Heide in view of Leupold and further in view of Harmsen as a commonly known feature in the field of invention. (Col. 1 ll. 33-44).

With respect to claim 13 Dehmer teaches blade has a chord profile (Figure 3) that increases in chord length from a region proximate to the hub (bottom of figure 3) to a maximum chord length at a maximum chord length blade height (Figure 3); wherein the maximum chord length blade height is approximately half the full blade height (Figure 3, chord length increases towards the middle of the fan and is maximum around the middle) or in other words located at **approximately** forty percent of the blade height. Heide, in view of Leupold and further in view of Bradbury and Harmsen discloses the general conditions of the claimed invention except for the express disclosure of a stagger angle of approximately 29 degrees at the hub and a stagger angle of approximately 56 degrees at the tip and camber angle of approximately 29 degrees at the hub and approximately 12 degrees at the tip. It would have been obvious to one having ordinary skill in the art at the time the invention was made to have a stagger angle of approximately 29 degrees at the hub and a stagger angle of approximately 56 degrees at the tip and camber angle of approximately 29 degrees at the hub and approximately 12 degrees at the tip, since the claimed values are merely an optimum or workable range. It has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. *In re Aller*, 105 USPQ 233.

With regard to claims 16 and 17 Von der Heide in view of Leupoldand further in view of Dehmer, Bradbury and Harmsen discloses the claimed invention except for rare earth magnet where the magnet comprises of bonded neodymium-iron-boron. It would have been obvious to one having ordinary skill in the art at the time the invention was made to make the rotor magnet of bonded neodymium-iron-boron. It has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice. See MPEP 2144.04.

With regard to claims 20-23 the determination of patentability in a product-by-process claim is based on the product itself, even though the claim may be limited and defined by the process. That is, the product in such a claim is unpatentable if it is the same as or obvious from the product of the prior art, even if the prior product was made by a different process. *In re Thorpe*, 777 F.2d 695, 697, 227 USPQ 964, 966 (Fed. Cir. 1985). Von der Heide in view of Leupoldand further in view of Dehmer, Bradbury and Harmsen discloses the product as claimed. A product-by-process limitation adds no patentable distinction to the claim, and is unpatentable if the claimed product is the same as a product of the prior art.

Claims 25, 26 and 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Von der Heide in view of Leupoldand further in view of Herbert.

Von der Heide in view of Leupold teaches the claimed invention as explained above except a finger guard. It would have been obvious to one of ordinary skill in the

Art Unit: 3741

art to provide a fan finger guard, as fan finger guard are well known accessories and are available for most AC DC fans to protect the user as disclosed by Herbert (Col. 1 ll. 66-68 to Col. 2 ll. 1-9). With regard to claim 29 as shown in Von der Heide figure 2 top (top of housing 17) is perpendicular to the opposite sides of the fan housing 17 (two sides of the housing 17)

Claim 27 is rejected under 35 U.S.C. 103(a) as being unpatentable over Von der Heide in view of Leupold and further in view of Herbert and further in view of Dehmer, Bradbury and Harmsen.

Von der Heide in view of Leupold and further in view of Herbert teaches the claimed invention as explained above except chord length stagger and camber angle. Von der Heide in view of Leupold and further in view of Herbert teaches the invention substantially except the chord length. Dehmer teaches blade has a chord profile (Figure 3) that increases in chord length from a region proximate to the hub (bottom of figure 3) to a maximum chord length at a maximum chord length blade height (Figure 3); wherein the maximum chord length blade height is approximately half the full blade height (Figure 3, chord length increases towards the middle of the fan and is maximum around the middle); wherein each blade of the impeller has a tip and the chord profile decreases in chord length from the maximum chord length blade height to the tip of the blade (Figure 3 shows , chord length increases towards the middle of the fan and is maximum around the middle and then it decreases towards the upper end that is the tip of the blade). It would have been obvious to one of ordinary skill in the art at the time of invention to modify Von der Heide in view of Leupold and further in view of Dehmer to

Art Unit: 3741

increase the efficiency by minimize the losses generated by the fluid movement. (Col. 1 ll. 1-5). Von der Heide in view of Leupold and further in view of Herbert teaches the invention substantially except the stagger angle. Bradbury discloses blade that has a tip and the stagger angle of each blade increases from the hub to the tip of the blade (summary of invention paragraph 17). It would have been obvious to one of ordinary skill in the art at the time of invention to modify Von der Heide in view of Leupold and further in view of Bradbury to increase the velocities on the surface and thus reducing the local pressure (summary of invention paragraph 19). Von der Heide in view of Leupold and further in view of Herbert teaches the invention substantially except the camber angle. Harmsen discloses camber angle that decreases from the hub to the tip (Col. 1 ll. 33-44). It would have been obvious to one of ordinary skill in the art at the time of invention to modify Von der Heide in view of Leupold and further in view of Harmsen as a commonly known feature in the field of invention. (Col. 1 ll. 33-44).

Claims 9, 12 and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Von der Heide in view of Leupold and further in view of Dehmer, Bradbury and Harmsen and in further view of Seki.

Von der Heide in view of Leupold and further in view of Dehmer, Bradbury and Harmsen except the solidity of approximately one. Seki discloses solidity of approximately one (Paragraph 55). ). It would have been obvious to one of ordinary skill in the art at the time of invention to modify Von der Heide in view of Leupold and further

in view of Dehmer, Bradbury and Harmsen and in further view of Seki to get to a solidity of approximately one because larger solidity decreases speed (paragraph 55).

Claim 28 is rejected under 35 U.S.C. 103(a) as being unpatentable over Von der Heide in view of Leupold and further in view of Herbert and in further view of Seki. Von der Heide in view of Leupold and further in view of Herbert except the solidity of approximately one.

Seki discloses solidity of approximately one (Paragraph 55). ). It would have been obvious to one of ordinary skill in the art at the time of invention to modify Von der Heide in view of Leupold and further in view of Herbert and in further view of Seki to get to a solidity of approximately one because larger solidity decreases speed (paragraph 55).

Claim 18 is rejected under 35 U.S.C. 103(a) as being unpatentable over Von der Heide in view of Leupold and further in view of Dehmer, Bradbury and Harmsen and further in view of Horng.

Von der Heide in view of Leupold and further in view of Dehmer, Bradbury and Harmsen except the second cooling fan in series. Horng discloses fans in series (Figure1). It would have been obvious to one of ordinary skill in the art at the time of invention to modify Von der Heide in view of Leupold and further in view of Dehmer, Bradbury and Harmsen and further in view of Horng for heat dissipation (Claim).

Claim 34 is rejected under 35 U.S.C. 103(a) as being unpatentable over Von der Heide in view of Leupold and further in view of Dehmer, Bradbury and Harmsen, Herbert and further in view of Horng. Von der Heide in view of Leupold teaches the invention substantially except the chord length. Dehmer teaches blade has a chord profile (Figure 3) that increases in chord length from a region proximate to the hub (bottom of figure 3) to a maximum chord length at a maximum chord length blade height (Figure 3); wherein the maximum chord length blade height is approximately half the full blade height (Figure 3, chord length increases towards the middle of the fan and is maximum around the middle); wherein each blade of the impeller has a tip and the chord profile decreases in chord length from the maximum chord length blade height to the tip of the blade (Figure 3 shows , chord length increases towards the middle of the fan and is maximum around the middle and then it decreases towards the upper end that is the tip of the blade). It would have been obvious to one of ordinary skill in the art at the time of invention to modify Von der Heide in view of Leupold and further in view of Dehmer to increase the efficiency by minimize the losses generated by the fluid movement. (Col. 1 ll. 1-5). Von der Heide in view of Leupold teaches the invention substantially except the stagger angle. Bradbury discloses blade that has a tip and the stagger angle of each blade increases from the hub to the tip of the blade (summary of invention paragraph 17). It would have been obvious to one of ordinary skill in the art at the time of invention to modify Von der Heide in view of Leupold and further in view of Bradbury to increase the velocities on the surface and thus reducing the local pressure



Art Unit: 3741

(summary of invention paragraph 19). Von der Heide in view of Leupold teaches the invention substantially except the camber angle. Harmsen discloses camber angle that decreases from the hub to the tip (Col. 1 ll. 33-44). It would have been obvious to one of ordinary skill in the art at the time of invention to modify Von der Heide in view of Leupold and further in view of Harmsen as a commonly known feature in the field of invention. (Col. 1 ll. 33-44). Von der Heide in view of Leupold teaches the claimed invention as explained above except a finger guard. It would have been obvious to one of ordinary skill in the art to provide a fan finger guard, as fan finger guard are well known accessories and are available for most AC DC fans to protect the user as disclosed by Herbert (Col. 1 ll. 66-68 to Col. 2 ll. 1-9). Von der Heide in view of Leupold and further in view of Dehmer, Bradbury and Harmsen except the second cooling fan in series. Horng discloses fans in series (Figure1). It would have been obvious to one of ordinary skill in the art at the time of invention to modify Von der Heide in view of Leupold and further in view of Dehmer, Bradbury and Harmsen and further in view of Horng for heat dissipation (Claim).

#### **(10) Response to Argument**

Applicant's arguments have been fully considered but they are not persuasive.

***With regard to applicant's argument that claim limitation blades being at least 25 % of the impeller diameter it should be clear that "blades being at least 25 % of the impeller diameter" presents no novel or unexpected result over the blade and impeller diameter relationship (Also, applicant explains on page 10 and***

Art Unit: 3741

***11 of the specification how the blade height ("HB") in the illustrated embodiment is approximately 25 % of the impeller diameter ("I"), as compared to 20 % of the impeller diameter in a fan using a conventional DC motor. This enables the impeller 72 to displace a greater amount of air for each rotation of the impeller than an impeller of a comparable fan powered by a conventional DC motor used in the references.*** Such a relationship between the blade height and the impeller diameter in lieu of those used in the references solves no stated problem and would be an obvious matter of design choice within the skill of the art. (See KSR decision, Rationale A, Combining prior art elements according to known methods to yield predictable results.)

In response to applicants argument and concern how a rare earth magnet is obvious to one of ordinary skill in the art it should be appreciated that rare earth magnets have been around for a long time and rare-earth magnets are strong, permanent magnets made from alloys of rare earth elements. Rare-earth magnets are substantially stronger than ferrite or alnico magnets. The magnetic field typically produced by rare-earth magnets can be in excess of 1.2 teslas. Ferrite or ceramic magnets typically exhibit fields of 50 to 100 milliteslas. Two common types of rare-earth magnets are:

Neodymium (neodymium-iron-boron)

Samarium-cobalt

Art Unit: 3741

Neodymium magnets (chemical formula:  $\text{Nd}_2\text{Fe}_{14}\text{B}$ ) are the strongest and most affordable type of rare-earth magnet. Neodymium magnets are made of neodymium, iron and boron. For applicant's convenience and understanding Leupold reference has been added to the rejection. Leupold teaches a rare-earth permanent structure for producing magnetic field optimal for electric machinery. Leupold also teaches that Neodymium-Iron-Boron and Rare Earth Cobalts such as Samarium Cobalt or Cerium Cobalt, have been utilized or are being contemplated for use as MAGNETICALLY RIGID materials. The most pronounced characteristic of MAGNETICALLY RIGID materials is their very high coercivity (field magnitude required to demagnetize) relative to that of traditional magnetic materials. This characteristic may be viewed as the means by which various magnetic circuit effects can be attained with MAGNETICALLY RIGID materials that are unattainable with traditional magnetic materials, for example field transparency and flux path predictability.

With regard to applicant's argument that prior art does not disclose range of 24-30 degrees at the hub etc. as claimed. Von der Heide in view of Leupold discloses the general conditions of the claimed invention except for the express disclosure of the ranges claimed by the applicant. It would have been obvious to one having ordinary skill in the art at the time the invention was made to have a 24-30 degrees at the hub and 50-60 degrees at the tip, since the claimed values are merely an optimum or workable range. It has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art.

With regard to applicants argument about the finger guard Von der Heide in view of Leupold teaches the claimed invention as explained above except a finger guard. It would have been obvious to one of ordinary skill in the art to provide a fan finger guard, as fan finger guard are well known accessories and are available for most AC DC fans to protect the user as disclosed by Herbert (Col. 1 ll. 66-68 to Col. 2 ll. 1-9).

With regard to applicant's argument that the pending claims must be given an interpretation that is reasonable and consistent with the specification, It should be noted that although operational characteristics of an apparatus may be apparent from the specification, this does not mean that such characteristics will be read into the claims when they cannot be fairly connected to the structure recited in the claims.

With regard to applicant's argument that there is lack of evidence to combine the reference, it should be clear that it is not required that the prior art disclose or suggest the properties newly-discovered by an applicant in order for there to be a prima facie case of obviousness. The test for obviousness is not whether the features of a secondary reference may be bodily incorporated into the structure of the primary reference; nor is it that the claimed invention must be expressly suggested in any one or all of the references. Rather, the test is what the combined teachings of the references would have suggested to those of ordinary skill in the art. In this regard, a conclusion of obviousness may be based on common knowledge and common sense of the person of ordinary skill in the art without any specific hint or suggestion in a particular reference. In response to applicant's argument that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by

Art Unit: 3741

combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. In response to applicant's argument that the examiner has combined an excessive number of references, reliance on a large number of references in a rejection does not, without more, weigh against the obviousness of the claimed invention. See *In re Gorman*, 933 F.2d 982, 18 USPQ2d 1885 (Fed. Cir. 1991).

In response to applicant's argument that the examiner's conclusion of obviousness is based upon improper hindsight reasoning, it must be recognized that any judgment on obviousness is in a sense necessarily a reconstruction based upon hindsight reasoning. But so long as it takes into account only knowledge which was within the level of ordinary skill at the time the claimed invention was made, and does not include knowledge gleaned only from the applicant's disclosure, such a reconstruction is proper. See *In re McLaughlin*, 443 F.2d 1392, 170 USPQ 209 (CCPA 1971).

Where a claimed improvement on a device or apparatus is no more than "the simple substitution of one known element for another or the mere application of a known technique to a piece of prior art ready for improvement," the claim is unpatentable under 35 U.S.C. 103(a). Accordingly Applicant claims a combination that only unites old elements with no change in the respective functions of those old elements, and the combination of those elements yields predictable results; absent evidence that the modifications necessary to effect the combination of elements is uniquely challenging or

Art Unit: 3741

difficult for one of ordinary skill in the art, the claim is unpatentable as obvious under 35 U.S.C. 103(a).

Since the applicant[s] have submitted no persuasive evidence that the combination of the above elements is uniquely challenging or difficult for one of ordinary skill in the art, the claim is unpatentable as obvious under 35 U.S.C. 103(a) because it is no more than the predictable use of prior art elements according to their established functions resulting in the simple substitution of one known element for another or the mere application of a known technique to a piece of prior art ready for improvement.

Under some circumstances, however, changes such as these may impart patentability to a process if the particular ranges claimed produce a new and unexpected result which is different in kind and not merely in degree from the results of the prior art. Such ranges are termed "critical" ranges, and the applicant has the burden of proving such criticality. However, even though applicant's modification results in great improvement and utility over the prior art, it may still not be patentable if the modification was within the capabilities of one skilled in the art. More particularly, where the general conditions of a claim are disclosed in the prior art, it is not inventive to discover the optimum or workable ranges by routine experimentation.

#### **(11) Related Proceeding(s) Appendix**

No decision rendered by a court or the Board is identified by the examiner in the Related Appeals and Interferences section of this examiner's answer.

For the above reasons, it is believed that the rejections should be sustained.

Art Unit: 3741

Respectfully submitted,

/Vikansha S Dwivedi/

Examiner, Art Unit 3741

Conferees:

/Michael Cuff/

Supervisory Patent Examiner, Art Unit 3741

/Thomas Denion/

Supervisory Patent Examiner, Art Unit 3748